MICROPROCESSORS AND MICROSYSTEMS

Volume Indices 25 (2001–2002)

Issue 1 pp 1–59
Issue 2 pp 63–129
Issue 3 pp 131–184
Issue 4 pp 187–229
Issue 5 pp 233–274
Issue 6 pp 277–314
Issue 7 pp 317–356
Issue 8 pp 359–398
Issues 9-10 pp 401–482

Article index

Number 1

Design of the Kydon-RISC processor
H. Y. Yang, S. J. Mertoguno, N. G. Bourbakis 1

A hybrid system for real-time lossless image compression
G. W. Drost, N. G. Bourbakis 19

An analogue video interface for general-purpose DSP
I. Y. Soon, C. K. Yeo, H. C. Ng 33

Tradeoff between the cycle complexity and the fairness of ring networks
G. Anastasi, L. Lenzini, Y. Ofek 41

Number 2

Mobile agent technology: from first proposals to current evolutions
A. Corradi, 63

Mobile agents: an introduction
G. Pietro Picco, 65

Middleware services for interoperability in open mobile agent systems
P. Bellavista, A. Corradi, C. Stefanelli 75

Coordination infrastructures for mobile agents
G. Cabri, L. Leonardi, F. Zambonelli 85

Flexible security policies for mobile agent systems
R. Montanari, C. Stefanelli, N. Dulay 93

Mobile software agents for decentralised network and systems management
D. Gavalas, D. Greenwood, M. Ghanbari, M. O'Mahony 101

QoS management in programmable networks through mobile agents
A. La Corte, A. Puliafito, O. Tomarchio 111

Experiences and future challenges in mobile agent programming
A. R. Tripathi, T. Ahmed, N. M. Karnik 121

Number 3

FPGA realization of a CORDIC based FFT processor for biomedical signal processing
A. Banerjee, A. Sundar Dhar, S. Banerjee 131

Low cost scaleable parallel image processing system
D. M. Harvey, S. P. Kshirsagar, C. A. Hobson 143

Distributed architecture for control and path planning of autonomous vehicles
J. L. Lázaro, J. C. García, M. Mazo, A. Gardel, P. Martín, I. Fernández, M. Marrón 159

Component-oriented voter model for dependable control applications
G. Latif-Shabgahi, J. M. Bass, S. Bennett 167

HidroBus® system: fieldbus for integrated management of extensive areas of irrigated land
M. Damas, A. M. Prados, F. Gómez, G. Olivares 177

Number 4

An educational tool for testing caches on symmetric multiprocessors
M. Á. Vega Rodríguez, J. M. Sánchez Pérez, J. A. Gómez Pulido 187

A distributed algorithm for finding prime compatibles on network of work-stations
I. Ahmad, 195

Performance evaluation of heterogeneous systems
D. N. Ramos-Hernandez, M. O. Tokhi 203

A performance model of pipelined circuit switching in hypercubes
G. Min, M. Ould-Khaoua 213

Performance evaluation for CC-NUMA multiprocessors using an OLTP workload
Y. Chung, H. Kim, J.-W. Park, K. Lee 221

Number 5

CBP and ART image reconstruction algorithms on media and DSP processors
K. Rajan, L. M. Patnaik 233

Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes
J. Al-Sadi, K. Day, M. Ould-Khaoua 239

CalmRISC™: a low power microcontroller with efficient coprocessor interface
K.-M. Lim, S.-W. Jeong, Y.-C. Kim, H. S. Yang 247

Genetic algorithm driven hardware-software partitioning for dynamically reconfigurable embedded systems
J. Harkin, T. M. McGinnity, L. P. Maguire 263

Number 6

On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis
H. Sarbazi-Azad, M. Ould-Khaoua, L. M. Mackenzie 277

Component-based software as a framework for concurrent design of programs and platforms – an industrial kitchen appliance embedded system
M. Jenko, N. Medjeral, P. Butala 287

High precision timing within Microsoft Windows: threads, scheduling and system interrupts
A. P. Johnson, M. W. S. Macauley 297

Reusing LOTOS specifications
A. Santone, G. Vaglini 309

PII: S0141-9331(02)00004-2

Number 7

Integrating hardware and software for the development of microcontroller-based systems
A. H. G. Al-Dhaher, 317
Aggressive superpage support with the shadow memory and the partial-subblock TLB
C. H. Park, D. Park 329
Performance modeling and evaluation of topologies for low-latency SCI systems
D. M. Gonzalez, A. D. George, M. C. Chidester 343

Number 8

Design and development of a low-cost digital display for water flow rate measurements
M. J. Er, A. C. Lua, J. H. L. Kay, C. C. Lim 359
Real-time hybrid adaptive fuzzy control of a SCARA robot
M. J. Er, M. T. Lim, H. S. Lim 369
A cellular neural network modeling the behavior of reconfigurable cellular automata
P. G. Tzionas, 379
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes
A. Shahrabi, M. Ould-Khaoua, L. M. Mackenzie 389

Numbers 9-10

A tool supporting efficient model checking of concurrent specifications
N. De Francesco, A. Santone 401
The impact of instruction pointer corruption on program flow: A computational modelling study
R. H. L. Ong, M. J. Pont 409
A new approach to generating Pitch Cycle Waveform (PCW) for Waveform Interpolation codec
G. Gao, P. C. Ching, T. Lee 421
ISDE–an integrated systems development environment for custom-computing machines implemented in FPLDs
Z. Salcic, 427
Decoupling of data and tag arrays for on-chip caches
T.-F. Chen, Y.-M. Hwang 437
A fast, FPGA-based MPEG-2 video encoder with a novel automatic quality control scheme
S. Ramachandran, S. Srinivasan 449
Object resizing and reclamation through the use of hardware bit-maps
W. Srisa-an, C.-T. D. Lo, J. Morris Chang 459
Evaluating the impact of reissued instructions on data speculative processor performance
T. Sato, 469

Author Index

Ahmad, I. 195
Ahmed, T. 121
Al-Dhaher, A. H. G. 317
Al-Sadi, J. 239
Anastasi, G. 41

Banerjee, A. 131
Banerjee, S. 131
Bass, J. M. 167
Bellavista, P. 75
Bennett, S. 167
Bourbakis, N. G. 1, 19
Butala, P. 287

Cabri, G. 85
Chen, T.-F. 437
Chidester, M. C. 343
Ching, P. C. 421
Chung, Y. 221
Corradi, A. 63, 75

Damas, M. 177
Day, K. 239
De Francesco, N. 401
Drost, G. W. 19
Dulay, N. 93

Er, M. J. 359, 369

Fernández, I. 159

Gómez Pulido, J. A. 187
Gómez, F. 177
Gao, G. 421
García, J. C. 159
Gardel, A. 159
Gavalas, D. 101
George, A. D. 343
Ghanbari, M. 101
Gonzalez, D. M. 343
Greenwood, D. 101

Harkin, J. 263
Harvey, D. M. 143
Hobson, C. A. 143
Hwang, Y.-M. 437

Jenko, M. 287
Jeong, S.-W. 247
Johnson, A. P. 297

Karnik, N. M. 121
Kay, J. H. L. 359
Kim, H. 221
Kim, Y.-C. 247
Kshirsagar, S. P. 143

Lázaro, J. L. 159
La Corte, A. 111
Latif-Shabgahi, G. 167
Lee, K. 221
Lee, T. 421
Lenzini, L. 41
Leonardi, L. 85
Lim, C. C. 359
Lim, H. S. 369
Lim, K.-M. 247
Lim, M. T. 369
Lo, C.-T. D. 459
Lua, A. C. 359

Macauley, M. W. S. 297
Mackenzie, L. M. 277, 389
Maguire, L. P. 263
Marrón, M. 159
Martín, P. 159
Mazo, M. 159
McGinnity, T. M. 263
Medjeral, N. 287
Mertoguno, S. J. 1
Min, G. 213
Montanari, R. 93
Morris Chang, J. 459

Ng, H. C. 33

O'Mahony, M. 101
Ofek, Y. 41
Olivares, G. 177
Ong, R. H. L. 409
Ould-Khaoua, M. 213, 239, 277, 389

Park, C. H. 329
Park, D. 329
Park, J.-W. 221
Patnaik, L. M. 233
Pietro Picco, G. 65
Pont, M. J. 409
Prados, A. M. 177
Puliafito, A. 111

Rajan, K. 233
Ramachandran, S. 449
Ramos-Hernandez, D. N. 203

Sánchez Pérez, J. M. 187
Salcic, Z. 427
Santone, A. 309, 401
Sarbazi-Azad, H. 277
Sato, T. 469
Shahrabi, A. 389
Soon, I. Y. 33
Srinivasan, S. 449
Srisa-an, W. 459
Stefanelli, C. 75, 93
Sundar Dhar, A. 131

Tokhi, M. O. 203
Tomarchio, O. 111
Tripathi, A. R. 121
Tzionas, P. G. 379

Vaglini, G. 309
Vega Rodríguez, M. Á. 187

Yang, H. S. 247
Yang, H. Y. 1
Yeo, C. K. 33

Zambonelli, F. 85

Keyword Index

Adaptive routing
A performance model of pipelined circuit switching in hypercubes 213
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes 389
Adaptive wormhole routing
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277

PII: S0141-9331(02)00005-4

Agents
Flexible security policies for mobile agent systems 93
Analogue video interface
An analogue video interface for general-purpose DSP 33
Analytical modeling
Performance modeling and evaluation of topologies for low-latency SCI systems 343
Authorisations
Flexible security policies for mobile agent systems 93

Back-projection
CBP and ART image reconstruction algorithms on media and DSP processors 233
Biomedical signal processing
FPGA realization of a CORDIC based FFT processor for biomedical signal processing 131

Cache memory system
An educational tool for testing caches on symmetric multiprocessors 187
Caching tag
Decoupling of data and tag arrays for on-chip caches 437
CC-NUMA multiprocessor
Performance evaluation for CC-NUMA multiprocessors using an OLTP workload 221
Cellular automata
A cellular neural network modeling the behavior of reconfigurable cellular automata 379
Cellular neural networks
A cellular neural network modeling the behavior of reconfigurable cellular automata 379
Compiler
CalmRISC™: a low power microcontroller with efficient coprocessor interface 247
Component-orientated software
Component-oriented voter model for dependable control applications 167
Computerized Tomography
CBP and ART image reconstruction algorithms on media and DSP processors 233
Concurrent design
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Coordination models
Coordination infrastructures for mobile agents 85
Coprocessor
CalmRISC™: a low power microcontroller with efficient coprocessor interface 247
CORBA
Middleware services for interoperability in open mobile agent systems 75
CORDIC
FPGA realization of a CORDIC based FFT processor for biomedical signal processing 131
Custom-computing machine
ISDE—an integrated systems development environment for custom-computing machines implemented in FPLDs 427

Cycle complexity
Tradeoff between the cycle complexity and the fairness of ring networks 41

Decoupled caches
Decoupling of data and tag arrays for on-chip caches 437
Design paradigm
Mobile agents: an introduction 65
Distributed computing
Experiences and future challenges in mobile agent programming 121
Distributed control systems
HidroBus® system: fieldbus for integrated management of extensive areas of irrigated land 177
Distributed Network Management
Mobile software agents for decentralised network and systems management 101
DSP
An analogue video interface for general-purpose DSP 33
CalmRISC™: a low power microcontroller with efficient coprocessor interface 247
CBP and ART image reconstruction algorithms on media and DSP processors 233
Distributed architecture for control and path planning of autonomous vehicles 159
Dynamic memory management algorithms
Object resizing and reclamation through the use of hardware bit-maps 459
Dynamic reconfiguration
Genetic algorithm driven hardware-software partitioning for dynamically reconfigurable embedded systems 263
Dynamic signal analyzer
Design and development of a low-cost digital display for water flow rate measurements 359
Dynamic speculation of data dependence
Evaluating the impact of reissued instructions on data speculative processor performance 469

Electromagnetic interference
The impact of instruction pointer corruption on program flow: A computational modelling study 409
EMI
The impact of instruction pointer corruption on program flow: A computational modelling study 409
Expand()
Object resizing and reclamation through the use of hardware bit-maps 459

Fairness
Tradeoff between the cycle complexity and the fairness of ring networks 41
Fault tolerance
Experiences and future challenges in mobile agent programming 121
Fault-tolerance
Component-oriented voter model for dependable control applications 167
Fault-tolerant routing
Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes 239
FFT
FPGA realization of a CORDIC based FFT processor for biomedical signal processing 131
2D FFT
Low cost scaleable parallel image processing system 143
Fibre–film probe
Design and development of a low-cost digital display for water flow rate measurements 359
Fieldbus
HidroBus® system: fieldbus for integrated management of extensive areas of irrigated land 177
Field programmable gate arrays
A fast, FPGA-based MPEG-2 video encoder with a novel automatic quality control scheme 449
Flowmeters
Design and development of a low-cost digital display for water flow rate measurements 359
Formal verification
A tool supporting efficient model checking of concurrent specifications 401
FPGA
FPGA realization of a CORDIC based FFT processor for biomedical signal processing 131

Genetic algorithms
Genetic algorithm driven hardware-software partitioning for dynamically reconfigurable embedded systems 263

Hardware algorithms
Object resizing and reclamation through the use of hardware bit-maps 459
Hazard analysis critical control point
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Heterogeneous architectures
Performance evaluation of heterogeneous systems 203
Homogeneous architectures
Performance evaluation of heterogeneous systems 203
Hot spot traffic
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277
HW–SW partitioning
Genetic algorithm driven hardware-software partitioning for dynamically reconfigurable embedded systems 263
Hybrid Adaptive Fuzzy Controller
Real-time hybrid adaptive fuzzy control of a SCARA robot 369
Hybrid hardware design
A hybrid system for real-time lossless image compression 19

Image processing
Low cost scaleable parallel image processing system 143

Industrial inspection
Low cost scaleable parallel image processing system 143
Industrial kitchen appliances
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Instruction level parallelism
Evaluating the impact of reissued instructions on data speculative processor performance 469
Instruction pointer corruption
The impact of instruction pointer corruption on program flow: A computational modelling study 409
Instruction reissue
Evaluating the impact of reissued instructions on data speculative processor performance 469
Instrumentation
Integrating hardware and software for the development of microcontroller-based systems 317
Integrated system development environment
ISDE—an integrated systems development environment for custom-computing machines implemented in FPLDs 427
Interconnection networks
A performance model of pipelined circuit switching in hypercubes 213
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes 389
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277
Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes 239
Interleaved cache architectures
Decoupling of data and tag arrays for on-chip caches 437
Internet agents
Experiences and future challenges in mobile agent programming 121
Internet programming
Experiences and future challenges in mobile agent programming 121
Internet resources
Coordination infrastructures for mobile agents 85
Interoperability
Middleware services for interoperability in open mobile agent systems 75
Interrupts
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297
Int-serv and diff-serv model
QoS management in programmable networks through mobile agents 111
I/O buffers
Design of the Kydon-RISC processor 1
Irrigation control system
HidroBus® system: fieldbus for integrated management of extensive areas of irrigated land 177

***k*-Ary *n*-Cube**
Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes 239

Latency
Performance modeling and evaluation of topologies for low-latency SCI systems 343
Link ports
An analogue video interface for general-purpose DSP 33
LOTOS
A tool supporting efficient model checking of concurrent specifications 401
Reusing LOTOS specifications 309
Low delay
A new approach to generating Pitch Cycle Waveform (PCW) for Waveform Interpolation codec 421
Low power
CalmRISC™: a low power microcontroller with efficient coprocessor interface 247

Mark and sweep garbage collection
Object resizing and reclamation through the use of hardware bit-maps 459
Max–Min fairness
Tradeoff between the cycle complexity and the fairness of ring networks 41
Mechatronic system
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Message latency
A performance model of pipelined circuit switching in hypercubes 213
Microbenchmarking
Performance modeling and evaluation of topologies for low-latency SCI systems 343
Microcontroller
CalmRISC™: a low power microcontroller with efficient coprocessor interface 247
Integrating hardware and software for the development of microcontroller-based systems 317
Middleware
Middleware services for interoperability in open mobile agent systems 75
Mobile agents
Experiences and future challenges in mobile agent programming 121
Middleware services for interoperability in open mobile agent systems 75
Mobile agents: an introduction 65
Mobile software agents for decentralised network and systems management 101
QoS management in programmable networks through mobile agents 111
Mobile agent technology
Coordination infrastructures for mobile agents 85
Mobile code
Experiences and future challenges in mobile agent programming 121
Mobile agents: an introduction 65
Mobile objects
Experiences and future challenges in mobile agent programming 121
Model checking
A tool supporting efficient model checking of concurrent specifications 401
Movement control
Distributed architecture for control and path planning of autonomous vehicles 159

Multicomputers
A performance model of pipelined circuit switching in hypercubes 213
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes 389
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277
Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes 239

Network Monitoring
Mobile software agents for decentralised network and systems management 101
NeuronChip
Distributed architecture for control and path planning of autonomous vehicles 159

Obligations
Flexible security policies for mobile agent systems 93
OLTP workload
Performance evaluation for CC-NUMA multiprocessors using an OLTP workload 221
Out-of-order execution
Evaluating the impact of reissued instructions on data speculative processor performance 469

Parallel architectures
Low cost scaleable parallel image processing system 143
Parallel processing
Performance evaluation of heterogeneous systems 203
Partial tag array
Decoupling of data and tag arrays for on-chip caches 437
Path planning
Distributed architecture for control and path planning of autonomous vehicles 159
PCB inspection
Low cost scaleable parallel image processing system 143
Performance evaluation
Performance evaluation for CC-NUMA multiprocessors using an OLTP workload 221
Unsafety vectors: a new fault-tolerant routing for k-Ary n-cubes 239
Performance modelling
A performance model of pipelined circuit switching in hypercubes 213
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes 389
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277
Pipeline
Design of the Kydon-RISC processor 1
Pitch Cycle Waveform
A new approach to generating Pitch Cycle Waveform (PCW) for Waveform Interpolation codec 421
Policy management
Flexible security policies for mobile agent systems 93

Processor core
ISDE—an integrated systems development environment for custom-computing machines implemented in FPLDs 427
Program flow errors
The impact of instruction pointer corruption on program flow: A computational modelling study 409
Programmable
Integrating hardware and software for the development of microcontroller-based systems 317
Pruning
A fast, FPGA-based MPEG-2 video encoder with a novel automatic quality control scheme 449

QoS
QoS management in programmable networks through mobile agents 111
Quality in education
An educational tool for testing caches on symmetric multiprocessors 187

Rapid prototyping
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Realloc()
Object resizing and reclamation through the use of hardware bit-maps 459
Real-time
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297
Real-time image compression
A hybrid system for real-time lossless image compression 19
Reuse of specifications
Reusing LOTOS specifications 309
Ring networks
Tradeoff between the cycle complexity and the fairness of ring networks 41
RISC processor design
Design of the Kydon-RISC processor 1
RSVP
QoS management in programmable networks through mobile agents 111

SANs
Tradeoff between the cycle complexity and the fairness of ring networks 41
Scalable coherent interface
Performance modeling and evaluation of topologies for low-latency SCI systems 343
SCARA Robot
Real-time hybrid adaptive fuzzy control of a SCARA robot 369
Scheduler
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297
Sectored caches
Decoupling of data and tag arrays for on-chip caches 437
Security
Experiences and future challenges in mobile agent programming 121
Flexible security policies for mobile agent systems 93
Sequential processing
Performance evaluation of heterogeneous systems 203
Shadow memory
Aggressive superpage support with the shadow memory and the partial-subblock TLB 329
Simulink and Real-time workshop
Real-time hybrid adaptive fuzzy control of a SCARA robot 369
Software components
Component-based software as a framework for concurrent design of programs and platforms — an industrial kitchen appliance embedded system 287
Software tool generation
ISDE—an integrated systems development environment for custom-computing machines implemented in FPLDs 427
Speech coding
A new approach to generating Pitch Cycle Waveform (PCW) for Waveform Interpolation codec 421
Speedup
Performance evaluation of heterogeneous systems 203
Standards
Middleware services for interoperability in open mobile agent systems 75
State explosion
A tool supporting efficient model checking of concurrent specifications 401
Subblock TLB
Aggressive superpage support with the shadow memory and the partial-subblock TLB 329
Superpage
Aggressive superpage support with the shadow memory and the partial-subblock TLB 329
Superscalar
Design of the Kydon-RISC processor 1
Symmetric multiprocessor
An educational tool for testing caches on symmetric multiprocessors 187

Task allocation
Performance evaluation of heterogeneous systems 203
Temporal logic
Reusing LOTOS specifications 309
Threads
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297
Timing
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297
TMS320C40 DSP
Low cost scaleable parallel image processing system 143
Topology
Performance modeling and evaluation of topologies for low-latency SCI systems 343
Tori
On the performance of adaptive wormhole routing in the bi-directional torus network: a hot spot analysis 277
Trace-driven simulator
An educational tool for testing caches on symmetric multiprocessors 187

Translation lookaside buffer
Aggressive superpage support with the shadow memory and the partial-subblock TLB 329

Value prediction
Evaluating the impact of reissued instructions on data speculative processor performance 469

Video encoder
A fast, FPGA-based MPEG-2 video encoder with a novel automatic quality control scheme 449

Video processing
An analogue video interface for general-purpose DSP 33

Virtual channels
A performance model of pipelined circuit switching in hypercubes 213

VLSI systems
Object resizing and reclamation through the use of hardware bit-maps 459

Voting algorithms
Component-oriented voter model for dependable control applications 167

Waveform Interpolation
A new approach to generating Pitch Cycle Waveform (PCW) for Waveform Interpolation codec 421

Windows Operating System
High precision timing within Microsoft Windows: threads, scheduling and system interrupts 297

Wireless networks
HidroBus® system: fieldbus for integrated management of extensive areas of irrigated land 177

Wormhole routing
Analytical modelling of broadcast in adaptive wormhole-routed hypercubes 389